

Installation Manual for Concardis PayEngine Magento

This manual describes the installation and usage of the Concardis PayEngine extension for Magento.

Release Date: Mon, 07 Aug 2023 14:01:06 +0200
Version: 3.0.436

wallee AG
General-Guisan-Strasse 47
CH-8400 Winterthur

E-Mail: info@sellxed.com

Telefon:

CH: +41 (0)44 505 13 60

DE: +49 (0)40 2999 60117

UK: +44 (0)161 850 6890

US: +1 (0)205 557 5869

© copyright by wallee AG Mon, 07 Aug 2023 14:01:06 +0200

#####conditional#####

Table of Contents

1	Introduction	6
1.1	Procedure of the Installation	6
1.2	System Requirements	7
2	Configuration Concardis PayEngine - Backend	8
2.1	Tab: Global Transaction Parameters	8
2.1.1	Default operation code and default data capture procedure	8
2.1.2	Payment Retry	8
2.1.3	Processing for Individual Transactions	8
2.2	Tab: Global Security Parameters	8
2.2.1	Hashing Method	9
2.3	Tab: Payment Page	9
2.4	Tab: Data and Origin Verification	9
2.4.1	Checks for e-commerce & Alias Gateway	10
2.4.2	Checks for Concardis PayEngine DirectLink and Concardis PayEngine Batch (Automatic)	10
2.5	Tab: Transaction Feedback	10
2.5.1	HTTP Redirection in the Browser	10
2.5.2	Direct HTTP-Server-to-Server-Request	10
2.5.3	Dynamic e-Commerce Parameters	12
2.5.4	Dynamic Parameters	12
2.5.5	Security for Request Parameters	13
2.5.6	HTTP Request for Status Changes	13
2.5.7	Dynamic Parameters	14
2.6	(Dynamic-)Template	14
2.7	Hidden Authorisation, Ajax Authorization (FlexCheckout - Hosted Tokenization Page), External Checkout & Alias Manager	15
2.7.1	Preconditions	15
2.7.2	Setting Up an API-User	16
2.7.3	Usage of External Checkouts	16
3	Module Installation and Update in the Magento Shop	18
3.1	Installation	18
3.1.1	Magento 1	18
3.1.2	Magento 2	18
3.2	Updates and Upgrades	19
3.2.1	Update Checklist	20
3.2.2	Update Instructions	20
3.3	Database Migration	21

3.3.1	Magento 1	21
3.3.2	Magento 2	21
4	Module Configuration in the Magento Shop	22
4.1	Configuration of the Main Module	22
4.1.1	Magento 1	22
4.1.2	Magento 2	22
4.2	Defining the URL for the Transaction Feedback	23
4.3	Configuration of the Payment Method	23
4.3.1	Magento 1	23
4.3.2	Magento 2	24
4.4	Direct Capturing of Transactions	25
4.5	Uncertain Status	25
4.5.1	Setting the order state	25
4.6	Optional: Validation	25
4.6.1	Usage of the Integrated Multishop Functionality of Magento	25
4.6.2	Usage of several independent Magento shops	26
5	Settings / Configuration of Payment Methods	27
5.1	General Information About the Payment Methods	27
5.2	Information on Payment Status	27
5.2.1	Order status "pending" / imminent payment (or similar)	27
5.2.2	Order status "cancelled"	27
5.3	Usage Hidden Authorisation / Alias Gateway	28
5.4	Credit Card	28
5.5	PayPal	29
5.6	MasterPass Integration: What to keep in mind	30
5.6.1	Integration Possibilities for MasterPass	30
5.6.2	Checkout: MasterPass Learn More Button	31
5.6.3	Additional information	32
5.7	Usage of the Ajax Authorization (FlexCheckout)	32
6	The Module in Action	33
6.1	Capturing / Cancelling of Orders	33
6.1.1	Magento 1	33
6.1.2	Magento 2	33
6.2	Place Orders in the backend of Magento	35
6.2.1	Magneto 1	35
6.2.2	Magento 2	36
6.3	Refunds	36
6.3.1	Magento 1	36

6.3.2	Magento 2	38
6.4	Useful Transaction Information on the Order	41
6.4.1	Magento 1	41
6.4.2	Magento 2	42
6.5	Usage of the Alias Managers / Token Solution	43
6.5.1	Magento 1	43
6.5.2	Magento 2	44
6.6	Dynamic Template	47
6.7	Tax Calculation Settings	48
6.7.1	Magento 1	48
6.8	OneStepCheckout	48
6.8.1	Magento 1	49
6.8.2	Magento 2	49
6.9	Setup a Cron Job to Activate the Timed Operations	49
6.9.1	Magento 1	49
6.9.2	Magento 2	49
6.10	Magento 1 API Manual	49
6.10.1	General Information on Using the API	50
6.10.2	API Calls	50
7	Testing	51
7.1	Test Data	51
8	Errors and their Solutions	52
8.1	Module is not shown	52
8.2	The Referrer URL appears in my Analytics Tool	52
9	Compatibility with Third-Party Plugins	53
9.1	Magento 1	53
9.1.1	Fees and discounts within Magento	53
9.2	Birthday and gender in Magento 1	53
9.3	Birthday and gender in Magento 2	53
10	Error Logging	54
10.1	Log Levels	54
10.2	Log Location	54
11	Advanced Information	55
11.1	Transaction Object	55
11.1.1	Magento 1	55
11.1.2	Magento 2	55

1 Introduction

This manual explains the installation, configuration and usage of the payment module for Magento and Concardis PayEngine. It is important that you strictly follow the described steps. Only by doing so, a secure usage in compliance with all security regulations can be guaranteed.

Before beginning with the installation, please make sure that you are in possession of all necessary data:

- PSPID & Password. You receive these credentials from Concardis PayEngine after conclusion of contract. Our support staff is happy to help you acquiring a Concardis PayEngine contract if you do not yet have one.
- Magento payment module from sellxed.com/shop
- FTP access to your server
- Login credentials for your shop

Note that you must use at least PHP version 5.6 for our plugins. PHP 8 or higher is currently not supported.

1.1 Procedure of the Installation

1. Configuration of the administration interface of Concardis PayEngine.
2. Upload of the module
3. Configuration of the [basic settings](#) of the [payment module](#)
4. Configuration of the **payment methods**
5. Carrying out a test purchase by means of the attached [test data](#) at the end of this document
6. If the test was successful, copy all data from your test account into the Concardis PayEngine live account.

Installation Service

Our payment plugins should have per default the correct settings for most of our customers' preferences. That means once you have entered the required credentials in the plugin configuration to connect your account to your website, the plugin should be fully operational. Should you be willing to receive detailed information on a setting you do not know, you may contact our support team who will be able to assist you further.

Our support team is at your disposal during regular business hours at: <http://www.sellxed.com/support>. Furthermore, you have the option of ordering our installation service. We will make sure the plugin is installed correctly in your shop: <http://www.sellxed.com/shop/de/integration-und-installation.html>

.htaccess Directory Protection

In order to test the module, any kind of directory protection or IP blocking on your server must be deactivated. This is crucial as otherwise the payment feedback of Concardis PayEngine might not get through to the shop.

1.2 System Requirements

In general, the plugin has the same system requirements as Magento. Below you can find the most important requirements of the plugin:

- PHP Version: 5.4.x or higher
- Magento: 1.7.x or higher
- OpenSSL: Current version with support for TLS 1.2 or higher.
- fsockopen: The PHP function fsockopen must be enabled. The plugin must be able to connect to external systems over the Internet.
- PHP Functions: All common PHP functions must be enabled.

2 Configuration Concardis PayEngine - Backend

For the configuration, log into the Concardis PayEngine backend:

- Test Environment: <https://secure.payengine.de/ncol/test/backoffice>
- Live Environment: <https://secure.payengine.de/ncol/prod/backoffice>

The settings carried out on the following pages are a precondition for the [configuration of the main module](#).

The configuration of the settings is done under **Configuration > Technical Information**. In the following chapter the chapter titles correspond to the tabs in the back office of Concardis PayEngine. For some parts screenshots will be added for a more precise illustration. Should a specific setting not be mentioned then it has no importance for the configuration of the payment module and can be ignored by you as such.

2.1 Tab: Global Transaction Parameters

Under the tab Global Transaction Parameters you define the basic settings for the processing of transactions.

2.1.1 Default operation code and default data capture procedure

We recommend choosing **Sale** and **"Automatic data capture by our system at the end of the day"**. All incoming payments will be directly processed and debited. If you are using transaction management and deferred capturing we strongly advise to use these settings. In case you have saved different settings in the module, then the module's settings will overwrite those of the Concardis PayEngine.

2.1.2 Payment Retry

We recommend entering **10**.

2.1.3 Processing for Individual Transactions

We recommend the option **"Online but switch to offline when the online acquiring system is unavailable"**.

2.2 Tab: Global Security Parameters

Here you define the security parameters for the interaction between your shop and the gateway of Concardis PayEngine.

2.2.1 Hashing Method

The sellxed payment modules support all hashing methods. In order for the module to function, it is crucial that the settings saved with Concardis PayEngine correspond to those made in the backend of your shop.

In order to guarantee a smooth processing of payments, we recommend the following hashing methods:

- Each parameter, followed by the pass phrase. It may be that this parameter is not visible in your shop. In this case it is transmitted automatically.
- Hash Algorithm = SHA 512
- Character Encoding = UTF-8




Figure 2.1: Configuration of the SHA-Hash.

These settings must be identical to the settings in the main module (cf. [Configuration of the main module](#)). Please note that the character encoding in our modules is set to UTF-8 per default and cannot be changed.

2.3 Tab: Payment Page

The checkbox under **Cancel Button** should be ticked. The field under Back Button Redirection can be left empty.

2.4 Tab: Data and Origin Verification

The tab Data and Origin Verification defines security elements concerning the transmission of data and the loading of the payment page.

2.4.1 Checks for e-commerce & Alias Gateway

The first box under "URL of the merchant page" can remain empty.

The box "SHA-IN pass phrase" is a security element of the payment verifying its authenticity. Therefore it is important that you use the same pass phrase in the back end and in the shop.

Customweb SHA-String Generator

Please note that only ASCII characters may be used for SHA pass phrases. Please use our [SHA pass phrase generator](#) so that you do not enter invalid characters.

2.4.2 Checks for Concardis PayEngine DirectLink and Concardis PayEngine Batch (Automatic)

DirectLink allows you to use the Hidden Authorisation (Alias Gateway) as well as the direct debiting of transactions within your shop. If you have activated DirectLink in your account and wish to use this feature, enter **the same** SHA-IN pass phrase in the box "SHA-IN pass phrase" as above.

Further information on the configuration of DirectLink can be found under [Configuration Hidden Authorisation](#).

2.5 Tab: Transaction Feedback

In the tab Transaction Feedback the response of Concardis PayEngine to the shop is controlled.

2.5.1 HTTP Redirection in the Browser

The parameters in the transaction feedback determine the processing in the shop after payment has been completed. However, the four fields for "HTTP Redirection in the Browser" can remain **empty** because they will be configured through the settings of our module.

Un-tick the option "I would like Concardis PayEngine to display a short text to the customer on the secure payment page if a redirection to my website is detected immediately after the payment process."

2.5.2 Direct HTTP-Server-to-Server-Request

- The "Timing of the Request" must be set to **Online but switch to a deferred request when the online requests fail**. As "Request Method" you must select "POST".
- In the section **General** make sure that the Option: "I would like Concardis PayEngine to display a "processing" message to the customer during payment processing." is **un-ticked** too.
- Copy here the URL that is listed in the module backend under: **System > Concardis PayEngine > Setup for Magento 1 and under Stores > Concardis PayEngine for Magento 2**.

URL on which the merchant wishes to receive a deferred HTTP request, should the status of a transaction change offline.

For the **Transaction Feedback** please enter the URL that is generated in the main module. More information can be found under the section [Transaction Feedback](#)

All orders have the status 'Pending'

Should you notice during the tests that orders are not registered in the shop and that no confirmation email is sent, this might be due to a failure of the transaction feedback. Make sure that your firewall is not blocking any request coming from Concardis PayEngine.

Direct HTTP server-to-server request

i Timing of the request

No request.
 Always deferred (not immediately after the payment).
 Always online (immediately after the payment to allow customisation of the response seen by the customer).
 Online but switch to a deferred request when the online requests fail.

i URL of the merchant's post-payment page

If the payment's status is "accepted", "on hold" or "uncertain".

SEE MANUAL FOR THIS URL // URL GEMÄSS MANUAL

If the payment's status is "cancelled by the client" or "too many rejections by the acquirer".

SEE MANUAL FOR THIS URL // URL GEMÄSS MANUAL

Request method

POST
 GET

Figure 2.1: Configuration of the feedback URL for the HTTP-Feedback.

Deferred Requests und Time Out

Concardis PayEngine sends the notification requests with a time out of 20 sec. Should your shop not respond to the HTTP Request within this time, a time out error will be sent. If you set the option to **Online but switch to a deferred request when the online requests fail** the request will be retrieved four times in ten minute intervals.

Please note that, depending on your Concardis PayEngine subscription, it is possible that the only option available is **Always online (immediately after the payment to allow customization of the response seen by the customer)**. In this case, always select this option.

2.5.3 Dynamic e-Commerce Parameters

With this option you control which parameters are sent in the response from Concardis PayEngine. In order for payments to effectively be evaluated in your shop, all necessary parameters must be sent. It is possible that you have other options available to select. Just make sure that you move every parameter from **available** to **selected** except for the following:

- PM
- CN
- SUBBRAND
- AAVADDRESS
- AAVCHECK
- AAVMAIL
- AAVNAME
- AAVPHONE
- AAVZIP




Figure 2.1: Configuration of the Dynamic E-Commerce Parameters. Your selection may look differently depending on your subscription with Concardis PayEngine.

2.5.4 Dynamic Parameters

With this option you control which parameters are sent in the response from Concardis PayEngine. In order for payments to effectively be evaluated in your shop, all parameters must be sent. It is possible that you have other options available to select. Just make sure that you move **every** parameters from **available** to **selected**.




Figure 2.1: Configuration of the Dynamic Parameters. Your selection may look differently depending on your subscription with Concardis PayEngine.

2.5.5 Security for Request Parameters

The box "SHA-OUT pass phrase" is an additional safety mechanism for payments. Here too must the entered pass phrase be identical to the one in your shop. However, please make sure that your SHA-OUT pass phrase differs from the SHA-IN pass phrase. .

Customweb SHA-String Generator

Please note that only ASCII characters may be used for SHA pass phrases. Please use our [SHA pass phrase generator](#) so that you do not enter invalid characters.

2.5.6 HTTP Request for Status Changes

You have the option to be informed about status changes by Concardis PayEngine directly. This feature is especially useful when a payment has an uncertain status because the acquirer system could not be reached. The payment status will be updated automatically. Furthermore this feature allows you to capture payments inside Concardis PayEngine and have synchronize them with your shop

In order to use this feature you will have to select the option **For each offline status change (payment, cancellation, etc.)**. Afterwards just copy the URL into the field that is displayed in the Setup of your Main configuration: **System > Concardis PayEngine > Setup for Magento 1 and under Stores > Concardis PayEngine for Magento 2.**

Enter the URL shown there into the field 'URL on which the merchant wishes to receive a deferred HTTP request, should the status of a transaction change offline.'

HTTP request for status changes

i Timing of the request

No request.
 Only at the time of the order authorisation request.
 For each offline status change (payment, cancellation, etc.).

URL on which the merchant wishes to receive a deferred HTTP request, should the status of a transaction change offline.

Figure 2.1: Enter the URL from the Setup of the Main Configuration.

2.5.7 Dynamic Parameters

Move all parameters from **available** to **selected**.

2.6 (Dynamic-)Template

You can now find the option template via **Configuration > Template**. The Dynamic Template enables you to design the payment mask for the credit card data so it matches your web shop. Should the field for the dynamic template not be visible, please contact Concardis PayEngine. It may be that you have to activate additional options in your account.

For the usage of the dynamic template, please save the following settings:

- Enable JavaScript on template: **'No'**
- Our modules do not allow "usage of static template". So click 'No'
- Allow usage of dynamic template: **'Yes'**
- In case you are using the dynamic template, enter the host name, i.e. `https://Your-Shop.com` in the lower box. The upper one must remain empty.

Template

i Enable JavaScript check on template

Yes
 No

Allow usage of static template

Yes
 No

Trusted static template name

i You may enter several template names, separated by ";" (e.g. `template1.htm; template2.php`)

Allow usage of dynamic template

Yes
 No

Trusted dynamic template URL

i You may enter several template URL, separated by ";" (e.g. `https://www.domain.com/tmp/template1.htm; https://www.domain.com/template2.php`)

Trusted website hostname hosting the dynamic template

i You may enter several website hostnames, separated by ";" (e.g. `https://www.domain.com; https://www.otherdomain.com`)

Figure 2.1: Configuration of the Dynamic Template.

Dynamic Template

Please note that you require an SSL certificate for the usage of the dynamic template. Otherwise the CSS-Resources will not be reloaded in certain browsers which might lead to layout issues.

The activation of the dynamic template in the shop is explained [here](#).

2.7 Hidden Authorisation, Ajax Authorization (FlexCheckout - Hosted Tokenization Page), External Checkout & Alias Manager

2.7.1 Preconditions

For the usage of the Hidden Authorization, Ajax Authorization (FlexCheckout), Alias Manager or External Checkout during the payment processing, certain adjustments are necessary in the backend of Concardis PayEngine. Please check first if the options are activated in your account under **Account > Your Options**.

ID	Option	Activation	Monthly fee	Transaction/Unit cost	Status	
AFTP	AFTP Module	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
D3D	D3D (Direct Link 3D)	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
ELVDE	ELV (Direct Debits Germany)	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate Configuration
FAQQ	Foreign acquirers	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
INV	Invoice appearance	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
NPMA2	Foreign payment methods (fees per payment method activated) - CH	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
OPC	One Page Checkout	0 EUR	0 EUR	0 EUR	Active	<i>i</i> Deactivate
RECO1	Reconciliation Module	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
RECX	Alias Manager	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate Configuration
SCH	Scheduled Payments	0 CHF	0 CHF	0 CHF	Available	<i>i</i> Activate
SUB	Subscription manager	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate
USR4	User Manager up to 20 users	0 CHF	0 CHF	0 CHF	Active	<i>i</i> Deactivate Configuration
USR5	User Manager up to 50 users	0 CHF	0 CHF	0 CHF	Available	<i>i</i> Activate
USR6	User Manager up to 100 users	0 CHF	0 CHF	0 CHF	Available	<i>i</i> Activate
USR7	User Manager up to 200 users	0 CHF	0 CHF	0 CHF	Available	<i>i</i> Activate

(1) CAP1 : Includes transaction fee for 3-D Secure transactions

Figure 2.1: Make sure to activate the OPC and DPR options.

If an option is not available please contact Concardis PayEngine.

Options and their Meanings:

- For the usage of the Hidden Authorization you require the option **OnePageCheckout (OPC)**.
- For the usage of the Ajax Authorization (FlexCheckout) you require the option **OnePageCheckout (OPC)** and **DirectLink (DPR)**.
- If you additionally want to use the Alias Manager, you also need the option **Alias Manager (RECX)**.

In case these options are not be available, please contact Concardis PayEngine directly.

2.7.2 Setting Up an API-User

If you want to use the features of the transaction management or the hidden authorization (Alias Gateway) you will need to set up an API user as described hereafter:

Go to **Configuration > User Administration** and click on 'New User'. Choose a **User ID** and insert a user name of your choice and your e-mail address. Select **Administrator without user manager** as a profile. It is furthermore important that you select the option **Special user for API (no access to the administration)**. If you do not see this option, you will need to let Concardis PayEngine activate the option DirectLink for your account.

Password of the API-User

The User ID and the API-user password may only contain letters and numbers as well as special characters. The following special characters are not allowed: & (Ampersand), " (double quotes), ' (single quotes)

Note down the access data. They will have to be inserted in the respective place in the [configuration of the main module](#).

2.7.3 Usage of External Checkouts

For the usage of external checkouts there are additional options required. External checkouts, such as MasterPass are payment methods, which offer the possibility to transfer addresses automatically.

The usage of the external checkouts asks for the option Direct Link and for the activation of payment method in your account.

For the performance of the payment method, you have to make sure that under Technical Information > Transactionfeedback in the section Direct Link all parameters selected are shifted




Figure 2.1: Response Parameter for Direct Link.

3 Module Installation and Update in the Magento Shop

3.1 Installation

At this time you should already be in possession of the module. Should this not be the case, you can download the necessary files in your customer account in the [sellxed shop](#) (Menu "My Downloads Downloads"). In order to install the module in your shop, please carry out the following steps:

1. Download the plugin. The download can be found in your sellxed.com account under "My Downloads".
2. Unzip the archive you have just downloaded.
3. In the unzipped folder navigate to the folder "files"
4. For some shops there are different versions of the plugin provided. If this is the case open the folder which corresponds to your shop version.
5. Using your preferred FTP client upload **entire content** of this folder into the root directory of your shop. For some shops there is a specific folder containing the plugins. If that is the case upload the plugin into this folder. Make sure that the folders aren't replaced but merely merged.
6. If you haven't yet done so, log back into your shop.

In the following you will find the installation manual for Magento 1 as well as Magento 2

3.1.1 Magento 1

Compiler Cache / Caching

Before you start the installation or after doing an update of the module, please make sure, that the compiler cache is disabled. Also make sure that you cleared the cache otherwise it could be that the settings page is not visible.

1. Create a back-up of your shop.
2. Extract the content of the ZIP file.
3. Copy the **entire content** of the folder "files" into the main directory of the server of your shop respectively to the folder where the plugins are copied normally. In order to do so, use your usual ftp program. Make sure that the folders aren't replaced but merely merged.

3.1.2 Magento 2

Im Folgenden werden die Schritte für die Installation und das Update der Extensions erklärt.

3.1.2.1 Installations Requirements

Bitte beachten Sie, folgende Voraussetzungen sind für den Betrieb von Magento 2 zwingend zu erfüllen:

1. System requirements von Magento (<http://devdocs.magento.com/guides/v2.0/install-gde/system-requirements.html>)
2. Der Cron Job muss korrekt eingerichtet sein, sonst können keine Extensions installiert werden. Weitere Informationen finden Sie hier: <http://devdocs.magento.com/guides/v2.0/config-guide/cli/config-cli-subcommands-cron.html>

3.1.2.2 Installation

For the installation of the plugin in your Magento 2 store please follow these steps:

1. Readiness Check

Before uploading the plugin it is necessary to do the Readiness Check for Magento 2

1. 1. Save [this script](#) as cw-setup.php on your computer.
2. 2. Upload this cw-setup.php Script into the root directory of your Magento 2 installation.
3. 3. Access your server via SSH and run this command: `php cw-setup.php`
4. 4. The script will present you with additional commands which you need to execute.

About the cw-setup.php script

The provided script generates a set of commands which should be executed to clean up Magento 2. The script itself doesn't execute anything. It only generates the necessary commands.

2. Upload

Upload the content of the folder **files_2** into the root directory of your server. Execute the commands provided by the cw-setup.php script again.

3.2 Updates and Upgrades

You have direct and unlimited access to updates and upgrades during the duration of your support contract. In order to receive constant information about available updates we ask you to subscribe to our RSS feed that we publish for your module.

More information regarding the subscription of this RSS feed can be found under: http://www.sellxed.com/en/updates_upgrades.

We only recommend an update if something doesn't work in your shop, if you want to use new feature or if there is a necessary security update.

3.2.1 Update Checklist

We ask you to strictly comply with the checklist below when doing an update:

1. Always do a backup for your database and your files in your shop
2. Use always a test system to test the update process.
3. Wait until all the files are copied to the shop, clear the cache if there is one in your shop and then visit the configuration page of the main module so that the update process will be initialized.

Do not do updates directly in the live environment

Please test the update procedure first in your test shop. Our support team is able and willing to help you if you experience problems with the update process. However, if you decide to perform the update directly in your live shop there is the possibility of a downtime of the shop of more than two days depending on the availability of our support if you do not want to book our [complementary support](#).

Depending on the version it could be that the database has to be migrated. We recommend you therefore, to perform the updates in times when the shop is not visited too frequently by your customers.

3.2.2 Update Instructions

Please always read the update instruction. Those instructions can be found in the changelog. If there are no special remarks, you can proceed by just overwriting the files in your system.

3.2.2.1 Magento 1

1. Download the newest version of the plugin. The download is available in your sellxed.com account under "My Downloads".
2. Extract the ZIP file.
3. Upload the folder **files_1** into the root directory of your shop.
4. Clear the Magento cache

3.2.2.2 Magento 2

1. Download the newest version of the plugin. The download is available in your sellxed.com account under "My Downloads".
2. Extract the ZIP file.
3. Upload the folder **files_2** into the root directory of your shop.
4. Clear the Magento cache

3.3 Database Migration

This section describes how you can run the database migration script

This only needs to be done if your Magento installation shows error messages regarding missing tables or columns in the database.

3.3.1 Magento 1

Clear the Magento cache

If this does not resolve the issue, remove the entry `payenginecw_setup` from the `core_resource` table and clear the cache again.

3.3.2 Magento 2

From the command line run the following command:

```
php bin/magento setup:upgrade
```

4 Module Configuration in the Magento Shop

The configuration consists of two steps. The first step is the configuration of the main module with all the basic settings (cf. [Configuration of the Main Module](#)). During the second step you can then carry out individual configurations for each [payment method](#). This allows for full flexibility and perfect adaptation to your processes.

Create backups!

Please create a backup of the main directory of your shop. In case of problems you will then always be able to return your shop to its original state.

We furthermore recommend testing the integration on a test system. Complications may arise with third party modules installed by you. In case of questions, our support is gladly at your disposal.

4.1 Configuration of the Main Module

4.1.1 Magento 1

The settings for the main module can be found under **System > Configuration > Concardis PayEngine**. Enter the various options, some of which you have already specified in the configuration with Concardis PayEngine. Information on the functionalities as well as the impact of the individual settings can be found directly by the option.

The field "Time-Out for pending Payments" defines after how many minutes the order status should switch from pending to cancelled (0 means that nothing should be changed) if no successful feedback concerning the payment is received from Concardis PayEngine. This might occur e.g. if the customer has closed his or her browser. Further information on this topic can be found under [Order Status](#).

4.1.2 Magento 2

You will find the settings of the main module via **Stores > Configuration > Sales > Concardis PayEngine > General**.

Fill in the fields according to the configuration of Concardis PayEngine or with the data which you received directly from Concardis PayEngine. You can find more exact explanations regarding each option in the help text by the input boxes.

Shop



Kunden Alias Management	Nein	[STORE VIEW]
	Sie können Ihren Kunden gestatten ihre Aliasse auf ihrem Konto zu verwalten/löschen.	
Benachrichtigung abwarten	Nein	[WEBSITE]
	Es kann in einigen Fällen ein paar Sekunden dauern bis die Transaktion erfolgreich genehmigt wird. Wenn diese Option aktiviert ist, wird die Benachrichtigung erwartet.	

General



Betriebsmodus	Test Modus	[STORE VIEW]
	If the test mode is selected the test account id is used. Otherwise the configured live account id is used.	
Live account ID		[STORE VIEW]
	The live account ID as given by the sellerpay .	
Live API password		[STORE VIEW]
	The live API password as given by sellerpay .	
Test Account ID		[STORE VIEW]
	The test account ID as given by the sellerpay . Generic test account: 401860-17795278	
Test API password		[STORE VIEW]
	The test API password as given by sellerpay . Password for generic test account: 8e7Yn5yk	
Liability Shift Behavior	Mark transactions without liability shift as uncertain	[STORE VIEW]
	If no liability shift is given by a transaction, should the transaction be marked as uncertain?	
Bestell-Präfix		[STORE VIEW]
	Here you can insert an order prefix. The prefix allows you to change the order number that is transmitted to sellerpay . The prefix must contain the tag {id}. It will then be replaced by the order number (e.g. name_{id}).	

Figure 4.1: Magento 2: Configuration of the basic module. Please note, that this is an example and the settings can differ.

4.2 Defining the URL for the Transaction Feedback

To ensure correct payment processing in your shop, at least one Feedback URL has to be provided in the Concardis PayEngine configuration. The URL to be entered can be found in your Magento Shop under: **System > Concardis PayEngine > Setup for Magento 1 and under Stores > Concardis PayEngine for Magento 2 > Setup**

4.3 Configuration of the Payment Method

4.3.1 Magento 1

After having successfully installed the main module, you will find the individual payment modules under System > Configuration > Payment Methods. You can save individual settings for

each payment method and thereby optimally adapt the payment methods to your existing processes. The most central options are described in more detail further below.

4.3.1.1 Direct Capturing of Invoices

The "Invoice Creation" specifies if invoices should be captured directly or not. Captured invoices can no longer be modified. If you wish to be able to modify the ordered article for debiting, please set this option to "Deferred".

4.3.2 Magento 2

After having successfully configured the main module, you will find the settings for each payment method in your shop via Stores > Sales > Payment Methods. For each payment method you can change the settings individually to optimize the payment processing in your shop.

4.3.2.1 Accounting

For each payment method you need to choose whether you want to register directly or delayed. A delayed booking only reserves the amount. Therefore it is important that you follow the instructions for such transactions as listed below. Reservations are usually only valid for a few days so we recommend to register directly. The delayed booking isn't available for every payment method.

4.3.2.2 Authorization Method

For some payment methods you can choose between different authorization methods. The authorization method determines how the payment form is presented in your shop. Please note that for some authorization methods with credit cards there are extended PCI requirements. (<https://www.sellxed.com/en/blog/pci-300-changes>).

4.4 Direct Capturing of Transactions

The option "Capture" allows you to specify if you wish to debit payments directly or if you first wish to authorise them and then debit the payment at a later point.

Depending on your acquiring contract, a reservation is only guaranteed for a specific period of time. Should you fail to debit the payment within that period, the authorisation may therefore no longer be guaranteed. Further information on this process can be found below.

Different settings between Concardis PayEngine and the module

It may be that settings saved in the payment modules overwrite settings saved in Concardis PayEngine.

4.5 Uncertain Status

You can specifically label orders for which the money is not guaranteed to be received. This allows you to manually control the order before shipment.

4.5.1 Setting the order state

For each payment method you may select in which state the order should be set to depending on the booking state. This is the initial state of the order.

4.6 Optional: Validation

Note: It can be that this option is not visible in your module. In this case just ignore this section.

With the option 'Validation' you can define the moment when the payment method should be made visible to the customer during the checkout process. This setting is relevant for modules where the usage depends on the customer's compliance with specific preconditions. For example, if a solvency check has to be carried out or if the payment method is only available in certain countries. In order for the credit check or address validation to also work with European characters, the charset of the "Blowfish mode" must be set to "UTF-8" for certain PSP settings.

You have the choice between these options:

- **Validation before the selection of the payment method:** A validation verification is carried out before the customer selects the payment method. If the customer does not fulfill the requirements, the payment method is not displayed
- **Validation after selection of the payment method:** The verification of the compliance occurs after the selection of the payment method and before the confirmation of the order
- **During the authorisation:** The validation verification is carried out by Concardis PayEngine during the authorisation process. The payment method is displayed in any case

4.6.1 Usage of the Integrated Multishop Functionality of Magento

The payment module supports the multishop feature of Magento. No further modifications are necessary. The module automatically recognises the shop the order belongs to. In order for the multishop functionality to work, it is, however, necessary that the individual sub-shops within Magento have been configured correctly.

4.6.2 Usage of several independent Magento shops

In case you wish to connect several independent shops to one contract with one contract with Concardis PayEngine, you require a sellxed payment module for each shop as well as the corresponding multi-shop module which you will find directly by the payment module.

1. Extract the multi-shop module and open the file "router.php"
2. Enter a shop ID of your choice in the box "Shop ID" within the main configuration of the module (e.g. shop_a and shop_b)
3. Enter the following line into the corresponding place within the file router.php of the multi-shop module (for each shop shop_a and shop_b):
`$redirect['shop_a'] = 'https://www.your-shop.com/index.php/PayEngineCw/process/process';`
4. Enter the URL below (instead of the URL mentioned above) under the point "Feedbacks" in the backend of Concardis PayEngine: **`http[s]://yourshop.com/router.php`**
5. Copy the file router.php into the main directory of your shop

5 Settings / Configuration of Payment Methods

5.1 General Information About the Payment Methods

The plugin contains the most common payment methods. In case a desired payment method is not included per default, please contact us directly.

In order to be able to use a payment method, it must be activated in your account with Concardis PayEngine as well as in your shop. Information about the configuration of the payment methods can be found further above.

Below you can find important information for specific payment methods that deviate from the standard process.

5.2 Information on Payment Status

For each payment method you can define an initial payment status (status for authorized payments etc.). You hereby define the payment status for each state depending on the processing type of the order (captured, authorized, etc.). It's the initial status which the order assumes. Depending on the mutation carried out by you, the status can change.

Important info regarding Order Status

Never set the status to **Pending Concardis PayEngine** or any similar pending status which is implemented by the module.

5.2.1 Order status "pending" / imminent payment (or similar)

Orders with the status 'pending Concardis PayEngine' are pending orders. Orders are set to that status if a customer is redirected in order to pay but hasn't returned successfully or the feedback hasn't reached your shop yet (Customer closed window on the payment page and didn't complete payment). Depending on the payment method these orders will automatically be transformed into cancelled orders and the inventory will be cleared (so long as the Cronjob is activated). How long this takes depends on the characteristics of the payment method and cannot be configured.

If you have a lot of pending orders it usually means that the notifications from your webserver to Concardis PayEngine are being blocked. In this case check the settings of your firewall and ask the Hoster to activate the IPs and User Agents of Concardis PayEngine.

5.2.2 Order status "cancelled"

Orders with the status "cancelled" have either been set to that status automatically due to a timeout, as described above, or have been cancelled directly by the customer.

5.3 Usage Hidden Authorisation / Alias Gateway

You have the possibility of processing credit cards without redirection to the payment page of Concardis PayEngine.

In order to be able to use this feature, you must first carry out the steps listed under [Hidden Authorisation / Alias Gateway](#) and create an API-User.

You can then activate the authorisation method 'Hidden Authorisation' for the payment methods of your choice. This procedure requires you as a merchant to fulfill the PCI-SAQ-A-EP. At no time is any credit card data saved on your server. Contact your Acquirer for more information about the SAQ and the requirements.

5.4 Credit Card

For the integration you have the choice between the pre-selection in the shop; i.e. the customer chooses the card type already in the shop; or a generic integration in which case the customer only sees the option 'credit card' as a payment method and then chooses the card type on the payment page Concardis PayEngine.




Figure 5.1: No pre-selection of the card type - the type will then be chosen on the payment page.

Pre-Selection of the Payment Method

We recommend choosing the option pre-selection. This allows you to configure individual settings for each payment method and add payment fees to the various methods.

5.5 PayPal

You can process PayPal directly via Concardis PayEngine. In order to do so, however, some adjustments to your PayPal account are required. Please carry out the following steps:

1. Activate the payment module in your shop
2. Make sure that the payment method is activated in your Concardis PayEngine account
3. The API adjustments must be carried out in your PayPal account. The various steps are explained in the "PayPal Express Checkout Integration Guide". This document can be found in your PSP account under: Support > Integration and User Guides > Technical Guides > Concardis PayEngine PayPal Express Checkout Integration Guide .

5.6 MasterPass Integration: What to keep in mind

If you integrate MasterPass as a payment method in your shop, you have two integration options: External and Standard Checkout. When using External Checkout, the customer does not have to provide address data during checkout. The customer only needs a MasterPass account and the data will be transmitted by MasterPass. In order to use this option as a merchant, you have to activate this payment method with Concardis PayEngine.

Please keep in mind, that using additional functions such as address transmission through MasterPass, may require the activation of the respective options through Concardis PayEngine aktiviert.

In order to use MasterPass in compliance with the MasterCard guidelines, please read the following information carefully before using this payment method.

5.6.1 Integration Possibilities for MasterPass

MasterPass can be integrated as a normal payment method with redirection to Concardis PayEngine or as an external checkout.

5.6.1.1 MasterPass as a Payment Method

If you like to integrate MasterPass as a normal payment method, activate the payment method as usual (see [Configuration of the payment method](#)). In this scenario the customer will first be redirected to MasterPass and then to the wallet of the issuer.

5.6.1.2 MasterPass as External Checkout

If you integrate MasterPass as an external Checkout, you can minimize the steps towards the payment radically. The address transfer and the creation of the account is processed via MasterPass. If you activate the external checkout, there appears a button in the basket with which you can jump after the login directly to the last step of the order confirmation. The creation of the account happens in the background.

For the activation of the external checkout go to **System > Concardis PayEngine for Magento 1 and under Stores > Concardis PayEngine for Magento 2** . There you'll find all settings for the external checkout:




Figure 5.1: Activation of the external checkout.

MasterPass as external checkout is not for all cases available. If this point in the manual doesn't appear, please make sure to contact us.

5.6.2 Checkout: MasterPass Learn More Button

When using MasterPass as a payment method for standard checkout, it is mandatory to link to the MasterPass Learn More Page. In order to do this, navigate to [Payment Method Configuration](#). Paste the link for the Learn More Page into the field 'Description' for the respective languages. The field 'Learn More' will now be displayed when choosing a payment method.

We have already collected the most important links for you. You only have to copy and paste the links into the description field:

- German: [Mehr Erfahren](https://www.mastercard.com/mc_us/wallet/learnmore/de/DE/)
- French: [apprendre plus](https://www.mastercard.com/mc_us/wallet/learnmore/fr/FR/)
- English: [Learn More](https://www.mastercard.com/mc_us/wallet/learnmore/en/DE/)
- Spanish: [aprender más](https://www.mastercard.com/mc_us/wallet/learnmore/en/ES/)
- Italian: [saperne di più](https://www.mastercard.com/mc_us/wallet/learnmore/it/IT/)
- Dutch: [Leer Meer](https://www.mastercard.com/mc_us/wallet/learnmore/nl/NL/)

Aktiviert	<input type="text" value="Aktiviert"/>	[STORE VIEW]
	▲ Diese Zahlungsmethode aktivieren	
Titel	<input type="text" value="MasterPass"/>	[STORE VIEW]
	▲ Name der Zahlungsmethode	
Beschreibung	<pre>Mehr Erfahren</pre>	[STORE VIEW]
	▲ Beschreibung der Zahlungsmethode	

Figure 5.1: Example for entering a description (Magento). These settings are to be found in the payment method configuration for MasterPass.




Figure 5.1: The Learn More Page link should appear in the frontend.

Links for additional languages can be found in this document: [https://developer.mastercard.com/...](https://developer.mastercard.com/)

5.6.3 Additional information

General and additional information on using the MasterPass trademark and logo in your webshop are available in the official MasterPass Merchant Branding Requirement Document, which you can access here: [https://developer.mastercard.com/...](https://developer.mastercard.com/)

5.7 Usage of the Ajax Authorization (FlexCheckout)

You have the possibility of processing credit cards without redirection to the payment page of Concardis PayEngine.

In order to be able to use this feature, you must first carry out the steps listed under [Hidden Authorisation, FlexCheckout \(Hosted Tokenization Page\), External Checkout und Alias Manager](#) and create an API-User.

You can then activate the authorisation method 'Ajax Authorization (FlexCheckout)' for the payment methods of your choice. At no time is any credit card data saved on your server.

6 The Module in Action

Below you will find an overview of the most important features in the daily usage of the Concardis PayEngine module.

6.1 Capturing / Cancelling of Orders

6.1.1 Magento 1

Please note:

The transaction management between your shop and Concardis PayEngine is not synchronised. If you capture payments with Concardis PayEngine, the status in the shop will not be updated and a second capturing in the shop is not possible.

6.1.1.1 Case 1: Invoice Capturing Directly After the Order

In the following, the process is explained for the case that you have chosen to directly create the invoice after having placed the order and only authorise payments - not capture them directly - (further information on the configuration can be found under [Creating the Invoice](#)).

In order to capture the order, open the invoice and click "capture". If you click "Cancel", the authorisation will be cancelled.

6.1.1.2 Case 2: Deferred Invoice Capturing

In case you have chosen the deferred invoice creation, you first have to create the invoice by clicking on the button "Invoice". Select "Capture online" below the total amount and then click on "capture invoice". The invoice has now been captured.

6.1.1.3 Cancel of orders/transactions

In order to cancel a transaction you first have to open the invoice and click on the cancel button. After that open the order and click on cancel here again. This will send the cancel of the order to Concardis PayEngine. Please note that you need to cancel the invoice and the order.

6.1.2 Magento 2

6.1.2.1 Capture Bug in Magento (v. 2.0.0)

In version 2.0.0 of Magento there is a bug. It could be that invoices cannot be captured. Please make the following adjustments in the file `/vendor/magento/module-sales/Controller/Adminhtml/Order/Invoice/Capture.php`:

1. Delete the lines in the picture bellow which begin with a - .

2. Add the lines which has been marked with a + .

Here you can find the codes to be inserted in the form of a text:

```
+ )->addComment( __('The credit memo has been created automatically.'));
```

Method: execute()

Diff:

```

-     try {
-         $invoiceManagement = $this->_objectManager->get('Magento\Sales\Api\InvoiceManagementInterface');
-         $invoiceManagement->setCapture($invoice->getEntityId());
+         $invoice->capture();
+         $invoice->getOrder()->setIsInProcess(true);

```

Figure 6.1: Opening the Invoice

6.1.2.2 Performing Captures

Please note

The transaction management between Concardis PayEngine and your shop isn't synchronized. When you capture the payments at Concardis PayEngine , the status is not adjusted and a second capture isn't possible in your shop.

In the configuration of the payment method you can decide whether the invoice should be captured after having been created or if only the payment is authorized. You also decide if you already want to create an invoice. If you create an invoice you can't make any adjustments for the capture.

In order to capture invoices please take the following steps:

1. Open the order and create an invoice.
2. If you have set the Invoice Settlement to deferred you can still make adjustments to the invoice.
3. Click on Capture Online.

Invoice Settlement	Deferred settlement ▼	[WEBSITE]
	Choose settlement after order in case you want an invoice to be created with your order. The state of the invoice will set according to your capture status.	
Customer Address	No address is sent ▼	[STORE VIEW]
	Should the customer address be sent?	
Capturing	Deferred ▼	[STORE VIEW]
	Should the amount be captured automatically after the order (direct) or should the amount only be reserved (deferred)?	
Authorisation Method	Payment Page ▼	[STORE VIEW]
	Select the authorisation method to use in order to process this payment method.	
Alias Manager	Inactive ▼	[STORE VIEW]
	The alias manager allows the customer to select from a credit card previously stored.	

Figure 6.1: Capture options

6.1.2.3 Cancelling / Voiding Orders

In order to issue a cancellation of the payment you must use the "Void" button. If you wish to use the "Cancel" button you must cancel the payment in the Concardis PayEngine backend portal.

6.2 Place Orders in the backend of Magento

6.2.1 Magneto 1

With the Magento payment module you can place orders and capture the payment directly in the shop; so called Mail Order / Telephone Order (MOTO).

1. Go to the order overview and click on "Create New Order"
2. The usual window for the creation of orders will be opened. Select the customer in question, the item and the address
3. Select the preferred payment method and click on "Submit Order".
4. Depending on the authorisation method that you have saved for the selected payment method, you will either be redirected to the Payment Page of Concardis PayEngine or the mask for the credit card will appear such as in the image below. Enter the credit card data of the customer.

Mail order/telephone order authorization

Card holder name*
Please enter the card holder's name.

Card number*
Please enter your card number

Card expiration date*
Select the expiry date of your card

CVC Code*
Please enter the CVC code from your card. You can find the code on the back of the card


 Continue

Figure 6.1: MoTo Transactions in Magento

6.2.2 Magento 2

With the Magento payment module you can trigger orders directly from your shop, so called Mail Order / Telephone Order (MOTO).

1. Go to the overview of the order (Sales > Orders) and click on "Create New Order" at the top right.
2. The familiar window to create an order will open. Choose the desired customer, article and address.
3. In the payment method box, choose the desired payment method and click on "Finalize order".
4. After that you will be redirected either to the Payment Page of Concardis PayEngine or you will be asked to enter your payment information in the shop, depending on your settings.

If an alias of the customer exists, you can alternatively use that for the order.

6.3 Refunds

6.3.1 Magento 1

You can refund already captured transactions and automatically transmit them to Concardis PayEngine. In order to do so, open the invoice of the captured order. By clicking on "Credit Memo" the window for refunds is opened. Enter the amount you wish to refund. By clicking on "Refund" the refund is transmitted to Concardis PayEngine.

Below you find a step-by-step guide including screenshots:

Order View Order # 20000003 | 17.04.2014 16:40:42 Back Edit Send Email Credit Memo Hold Ship Reorder

Information Page 1 of 1 pages | View 20 per page | Total 1 records found Reset Filter Search

Invoice #	Bill to Name	Invoice Date	Status	Betrag
200000003	Thomas Lueth	17.04.2014 16:41:41	Paid	20,99 €

Figure 6.1: 1. open the invoice

Invoice #100000026 | Paid | 23.04.2014 18:52:08 (the invoice email is not sent) Back Send Email Credit Memo Print

Order # 100000043 (the order confirmation email was sent)		Account Information	
Order Date	23.04.2014 18:51:23	Customer Name	Test Test
Order Status	Processing	Email	info@customweb.com
Purchased From	Main Website Main Store English	Customer Group	General

Figure 6.1: 2. click on credit memo - Important - open the invoice first!.

Refund Totals

Subtotal	156,00 €
Refund Shipping	<input type="text" value="5"/>
Adjustment Refund	<input type="text" value="0"/>
Adjustment Fee	<input type="text" value="0"/>
Grand Total	161,00 €

Append Comments
 Email Copy of Credit Memo

Figure 6.1: 3. Adjust the refunding amount (see more info below [Refunds Based on Quantity](#))

Refund Totals

Subtotal	156,00 €
Refund Shipping	<input type="text" value="5"/>
Adjustment Refund	<input type="text" value="0"/>
Adjustment Fee	<input type="text" value="0"/>
Grand Total	161,00 €

Append Comments
 Email Copy of Credit Memo

Figure 6.1: 4. To process the refund click on Refund.

✔ The credit memo has been created.

Order # 100000041 | 23.04.2014 18:26:16 Back Send Email Reorder

Order # 100000041 (the order confirmation email was sent)		Account Information	
Order Date	23.04.2014 18:26:16	Customer Name	Test Test
Order Status	Closed	Email	info@customweb.com
Purchased From	Main Website Main Store English	Customer Group	General
Placed from IP	160.85.155.47		

Figure 6.1: Wait for the confirmation of the refund.

6.3.1.1 Refunds Based on Quantity

You can make refunds based on product quantity. In order to do so, open the credit memo window and enter the amount of products you wish to refund to your customer's card

You can carry out as many individual refunds as you wish until you have reached the quantity of the original order. The status of the order then automatically switches to **complete**.

Credit Memo #	Bill to Name	Created At	Status	Refunded
200000001	Leandra Simitovic	02.12.2013 16:42:10	Refunded	35,00 €
200000002	Leandra Simitovic	02.12.2013 16:47:03	Refunded	146,00 €

Figure 6.1: Overview of all Refunds

6.3.1.2 Refunding of Any Amount

As each position of the order needs to be transmitted to Concardis PayEngine we can't support the function **Adjustment Refund** - meaning the refund of any amount. Only whole items can be refunded by adjusting the refund amount.

Adjusting the amount of several refunds

It is possible to carry out several refunds on an order. Please note that you can refund a maximum of 100% of the original amount. If you have already carried out a refund you need to make sure not to refund more than the initial amount by adjusting the amount and the Adjustment Fee.

6.3.2 Magento 2

6.3.2.1 Resolving a Current Magento Bug (v. 2.0.0)

In the 2.x version of Magento there is a bug. Please make the following adjustments to the file `/vendor/magento/module-sales/Model/Order/Payment.php` :

1. Delete the lines in the picture bellow which begin with a - .
2. Add the lines which has been marked with a + .

Method: registerRefundNotification(\$amount)

Diff:

```

$creditmemo->setPaymentRefundDisallowed(
    true
)->setAutomaticallyCreated(
    true
- )->register()->addComment(
+ )->addComment(
    __('The credit memo has been created automatically.')
);

```

Figure 6.1: Adjustments so you are able to enter a credit memo.

Here you can find the codes to be inserted in the form of a text:

```
+ )->addComment( __('The credit memo has been created automatically.'));
```

6.3.2.2 Performing Credits

For registered transactions you can create credits and transmit them automatically to Concardis PayEngine . In order to do so open an invoice of an already registered order. By clicking on "Credit Memo" a dialog will open for the refunds. Now you can adjust the number of products which you would like to credit in the credit memo dialogue.

Here you can find each step again including screenshots:

#000000003 🔍 🔔 👤 admin ▾

← Back Send Email Credit Memo Hold Ship

ORDER VIEW

Information

Invoices

Credit Memos

Shipments

Comments History

Transactions

Search by keyword 🔍
🔽 Filters
👁 Default View ▾
⚙ Columns ▾
📄 Export ▾

Select It... ▾
1 records found
20 ▾ per page
⏪ 1 of 1 ⏩

	Invoice ↓	Invoice Date	Order Number	Order Date	Bill-to Name	State	Amount	Action
<input type="checkbox"/>	000000003	Dec 14, 2015 7:55:37 AM	000000003	Dec 14, 2015 7:54:41 AM	Test Customweb	Paid	CHF39.00	View

Figure 6.1: 1. Opening the Invoice

New Memo for #000000003

[Q](#)
[🔔](#)
[👤 admin](#)

[← Back](#)
[Reset](#)

Order & Account Information

Order # 000000003 (The order confirmation email was sent)

Order Date	Dec 14, 2015, 7:54:41 AM
Order Status	Processing
Purchased From	Main Website Main Website Store Default Store View
Placed from IP	212.90.201.186

Account Information

Customer Name	Guest
Email	info@customweb.com
Customer Group	NOT LOGGED IN

Address Information

Billing Address [Edit](#)

Test Customweb
 Teststrasse 2
 Zürich, Zug, 8032
 Switzerland
 T: 555466684

Delivery address [Edit](#)

Test Customweb
 Teststrasse 2
 Zürich, Zug, 8032
 Switzerland
 T: 555466684

Figure 6.1: 2. Click on Credit Memo - Important the invoice needs to be opened first.

Refund Totals

	Subtotal	156,00 €
	Refund Shipping	<input type="text" value="5"/>
	Adjustment Refund	<input type="text" value="0"/>
	Adjustment Fee	<input type="text" value="0"/>
	Grand Total	161,00 €

Append Comments
 Email Copy of Credit Memo

Figure 6.1: 3. Choose which products you would like to credit and click on Refund Online.

#000000003

🔍 🔔 👤 admin ▾

← Back Send Email Credit Memo Hold Ship

ORDER VIEW

Information

Invoices

Credit Memos

Shipments

Comments History

Order History

Transactions

🔍
Filters
👁️ Default View ▾
⚙️ Columns ▾
📄 Export ▾

Select It... ▾
0 records found
20 ▾ per page
⏪
1 of 1
⏩

	Credit Memo	Created	Order	Order Date	Bill-to Name	State	Refunded	Action
We couldn't find any records.								

Figure 6.1: Overview of all the credits made

Adjusting the amounts for several refunds

It is possible to issue several credits on one order. Please note that you can't credit more than 100% of the original amount. If you have already issued a credit you will need to make sure you don't credit more than the original amount, by adjusting the amount and the Adjustment Fee.

6.4 Useful Transaction Information on the Order

6.4.1 Magento 1

In each order, processed via our module, you can find an overview of the most important information about the transaction as well as a transaction history.


Payment Information		
Authorisation amount	161.0000	
Currency	CHF	
Payment method	MasterCard	
Payment ID	23679571	
Captured amount	161	
Transaction authorised	Yes	
Transaction uncertain 	No	
Transaction captured	Yes	
Transaction paid	Yes	
Alias	XXXXXXXXXXXX0007 (12/13)	
Alias Token	8B1974E9-59EB-442C-A1D4-34BEC568EE23	
Acceptance	test123	
Card number	XXXXXXXXXXXX0007	
Card expiry date	12/13	
Merchant reference	sellxed_og_10000087	
Transaction history		
Date	Action	Message
2013-09-12 12:53:50	authorization	The amount of 161.00 is authorized.
2013-09-12 12:53:50	capturing	The amount of 161.00 is captured.
Order was placed using CHF		

Figure 6.1: Transaction Information.

6.4.2 Magento 2

In each order, which was processed by our module, you will find an overview of the most important information on the transaction and transaction history.

Payment & Shipping Method

Payment information



Visa

Transaction ID	14
Authorisation Amount	107
Currency	CHF
Payment period	Visa
Payment ID	h1ElhGAKOSCitASfE0IbOShndA
Test Transaction	Yes
Transaction authorised	Yes
Transaction uncertain	No
Transaction paid	Yes
Card Type	Saferpay Test Card
Effective Payment Method Name	SaferpayTestCard
Authorisation Method	PaymentPage
3D Secure	Successful

Shipping & Handling Information

Flat Rate - Fixed CHF10.00

Dec 14, 2015 11:08:14 AM | Authorization
 The amount of 107.00 is authorized. (Customer successfully returned from the Saferpay payment page.)

The order was placed using CHF.

Figure 6.1: Transaction Information.

6.5 Usage of the Alias Managers / Token Solution

6.5.1 Magento 1

With the Alias Manager, your customers can securely save their credit cards with Concardis PayEngine for later purchases. You can enable this by activating the option "Alias Manager" in the configuration of the [Payment Method](#). The customer can then choose from their saved credit cards without having to enter all the details again.

Visa

Card N°: 9451 1231 0000 0111 Date of Expiry: 12/2015 CVV: 123

Saved cards:

xxxx xxxx xxxx 0111

You may choose from one of the cards previously used on this site.

Card holder name *

Test Alias

Please enter the card holder's name.

Card number *

xxxx xxxx xxxx 0111

Please enter your card number

Card expiration date *

12 2015

Select the expiry date of your card

CVC Code *

Please enter the CVC code from your card. You can find the code on the back of the card

Figure 6.1: Alias Manager Transaction

Attention

To use the Alias Manager tit may be necessary to activate certain options in your Concardis PayEngine account. Please contact Concardis PayEngine directly to do so.

6.5.1.1 Deleting Customer Aliases

You can easily delete a customer's alias by opening the customer in the backend of Magento. Switch to the tab Concardis PayEngine Alias and delete the saved alias directly here.




Figure 6.1: Delete previously saved aliases of your customers.

6.5.2 Magento 2

Due to the integration of the Alias Manager the customers credit card data can be saved for later purchases. The customer can choose between the cards that have already been saved and won't have to enter all of credit card data again.

6.5.2.1 Activating the Alias Manager / Token

In order for you to be able to use this you will need activate the option "Alias Manager" in the payment methods.

Payment

Check / Money order

Test Payment Method

VISA

Hans Muster
 Beispielstrasse 1
 Zürich, Zürich 8000
 Switzerland
 044 123 45 67
[Edit](#)



Stored Cards

xxxxxxxxxxxx0002

You may choose one of your stored cards.

Card holder name *

Hans Muster

Please enter the card holder's name.

Card number *

xxxxxxxxxxxx0002

Please enter your card number.

Expiry Date *

05 2018

Select the expiry date of your card.

CVC Code *

Please enter the CVC code from your card. You can find the code on the back of the card.

Place Order

Order Summary

Cart Subtotal	CHF28.00
Order total	CHF28.00
2 Items in Cart	
	LifeLong Fitness IV Qty: 2 CHF28.00

Figure 6.1: Alias Manager Transaction

6.5.2.2 Customers Deleting the Token

In Magento 2 you can allow your customers to manage the aliases in their customer account at "My Concardis PayEngine Aliases / Token". This feature can also be enabled in the settings of the payment method



Customer Alias Management	<input type="text" value="Yes"/>	[STORE VIEW]
	You can allow the customers to manage/delete their aliases in their account.	
Await Notification	<input type="text" value="Yes"/>	[WEBSITE]
	In some cases it may take a few seconds until the transaction is successfully authorized. When this option is enabled, the notification is awaited.	
External Checkout: Guest Checkout	<input type="text" value="Show Account Selection"/>	[WEBSITE]
	When using an external checkout, the customer can either be asked to choose an option to authenticate (as guest, register or login) or he can always be checked out as guest. For the second option to work, guest checkout has to be enabled in Magento.	

Figure 6.1: Activating the Alias Manager for Customers.

6.6 Dynamic Template

We provide a standard skin for the usage of the dynamic template for all sellxed modules. You can activate the option by setting the option "Dynamic Template" to "Use Shop Template" in the main module. Please make sure that all settings specified under [Template](#) have been carried out in the backend of Concardis PayEngine.

The Dynamic Template allows you to load the Payment Page of Concardis PayEngine in the layout of your shop. The customer, therefore, does not notice that the customer has been forwarded to the website of Concardis PayEngine. The template dynamically adjusts to your shop template. This, furthermore, allows you to easily integrate Mobile Skins (cf. Screenshots).

The Dynamic Template requires an SSL Certificate

In order for the Dynamic Template to work correctly with all browsers, you require an SSL certificate in your shop.




Figure 6.1: Example: The skin adapts to the layout of your shop.




Figure 6.1: Example: Dynamic Template with mobile skin

6.7 Tax Calculation Settings

6.7.1 Magento 1

To ensure that the taxes are calculated correctly and transmitted correctly to a third party invoice provider inside Magento please make sure that you set the calculation settings in the menu under System > Configuration > Tax as showed in the screenshot below.




Figure 6.1: Recommended tax calculation settings for Magento.

Please also make sure that inside the settings of your promotion in the tab "Actions" the discount is not applied to the shipping amount as Magento is not correctly transmitting the tax rate there.

6.8 OneStepCheckout

6.8.1 Magento 1

The checkout of Magento can be modified and reduced to one step. The so called OnePageCheckout. Our modules support the most important OnePageCheckout extensions. If you are thinking of using a OneStepCheckout extension in combination with our Concardis PayEngine Magento, please make sure that you are using one of the following:

- OneStepCheckout by www.onestepcheckout.com
- OneStepCheckout by [Ahead Works](#)
- LightCheckout by [GoMage](#)
- Firecheckout by [Templates Master](#)

6.8.2 Magento 2

There is no official support for any OnePageCheckout module for Magento 2.

6.9 Setup a Cron Job to Activate the Timed Operations

6.9.1 Magento 1

To activate the timed operations of the plugin (e.g. update service, deleting pending orders, etc.) make sure that you set up the Magento Cron engine. Especially the update function allows you to automatically retrieve additional information or changes of your order directly via the API of Concardis PayEngine. Please note it could be that in order to use the update feature it may be necessary that Concardis PayEngine activates additional options in your account.

The module uses the standard cron engine of Magento. More information regarding the set up can be found [here](#).

Here we suggest you use a Cron Engine like for example [EasyCron](#). This allows you to open the file (URL) with an external service.

6.9.2 Magento 2

The module uses the standard cron engine of Magento 2. More information regarding the set up can be found [here](#).

6.10 Magento 1 API Manual

Via API, our module provides plenty of information on a transaction. The following section describes which calls are possible and what information is provided.

6.10.1 General Information on Using the API

General information on using the Magento SOAP API can be found here: <http://www.magentocommerce.com/api/soap/introduction.html>

6.10.2 API Calls

This overview shows the API Versions and which API Calls they support.

6.10.2.1 API V1

- `$client->call($session, 'payenginecw_transaction.list');` //List of all transactions
- `$client->call($session, 'payenginecw_transaction.info', {transactionId});` // Single Transaction

6.10.2.2 API V2

- `$client->payenginecwTransactionList($session);` //List of all transactions
- `$client->payenginecwTransactionInfo($session, {transactionId});` //Single Transaction

6.10.2.3 XML-RPC

- `$client->call('call', array($session, 'payenginecw_transaction.list');` //List of all transactions
- `$client->call('call', array($session, 'payenginecw_transaction.info', {transactionId}));` //Single Transaction

6.10.2.4 REST

- `$this->callApi('payenginecw/transactions');` //List of all transactions
- `$this->callApi('payenginecw/transactions/{transactionId}');` //Single Transaction

7 Testing

Before switching from test to live mode it is important that you test the module extensively.

Testing

Do not forget to switch the operating mode from test to live after having successfully tested the module.

7.1 Test Data

In the following section you can find the test data for the various payment methods:

Credit / Debit Card

Card number	3750 0000 000 0007	American Express
Expiry Date	12/2020	
CVC	1234	
Card number	5399 9999 9999 9999	Mastercard
Expiry Date	12/2020	
CVC	123	
Card number	4111 1111 1111 1111	VISA (Without 3-D Secure Check)
Expiry Date	12/2020	
CVC	123	
Card number	4000 0000 0000 0002	VISA (With 3-D Secure Check)
Expiry Date	12/2020	
CVC	123	

American Express

Card number	3750 0000 000 0007	American Express
Expiry Date	12/2020	
CVC	1234	

MasterCard

Card number	5399 9999 9999 9999	Mastercard
Expiry Date	12/2020	
CVC	123	

Visa

Card number	4000 0000 0000 0002	VISA (With 3-D Secure Check)
Expiry Date	12/2020	
CVC	123	
Card number	4111 1111 1111 1111	VISA (Without 3-D Secure Check)
Expiry Date	12/2020	
CVC	123	

8 Errors and their Solutions

You can find detailed information under <http://www.sellxed.com/en/faq>. Should you not be able to solve your problem with the provided information, please contact us directly under: <http://www.sellxed.com/en/support>

8.1 Module is not shown

If the module is not shown even though the files have been downloaded onto the server correctly, please check the following:

- The local.xml can be found in the /app/etc directory
- Make sure `disable_local_modules` is set to `,false'`

8.2 The Referrer URL appears in my Analytics Tool

When a customer and the notification are redirected via Header Redirection, the Concardis PayEngine Referrer URL might appear in your Analytics Tool thus hiding the original traffic source. However, most Analytic Tools are able to minimize this problem.

In case you are using Google Analytics as reporting tool, this step by step guide may help you to exclude the URLs: [under bullet point 4](#).

9 Compatibility with Third-Party Plugins

The plugins listed below are compatible with our payment modules and allow you to handle certain tasks in a easier way.

9.1 Magento 1

9.1.1 Fees and discounts within Magento

To configure a Concardis PayEngine payment gateway based fee and discount, you will need the following 3rd-Party plugin.

- [Fooman Surcharge](#)

9.2 Birthday and gender in Magento 1

For certain payment service providers it is necessary to check the birthday an the gender of a customer. Magento 1 does not check this by default. this check can be enabled under "Go to System > Configuration | Customers > Customer Configuration > Name and Address Options".

9.3 Birthday and gender in Magento 2

For certain payment service providers it is necessary to check the birthday an the gender of a customer. Magento 2 does not check this by default. this check can be enabled under "Stores > Configuration | Customers > Customer Configuration > Name and Address Options".

10 Error Logging

The module will log different unexpected errors or information depending on the configured level. If there is any issue with the module, this log can help identify the cause.

10.1 Log Levels

You can configure the log level in the Concardis PayEngine settings. The store log setting does not affect these log messages.

- Error: Logs unexpected errors only. (Default)
- Info: Logs extended information.
- Debug: Logs information helpful for debugging.

10.2 Log Location

The log file is stored in the Magento log directory. (Default Path: {shopRootDirectory}/var/log)

11 Advanced Information

This section of the manual is for advanced usage of the module. The content is for advanced users with special requirements. Everything in this section is optional and not required for the daily usage of the module.

11.1 Transaction Object

This section describes how to extract information from a transaction, if you need it for further processing. E.g. you require more information of the transaction for further processing an order in your ERP system.

The code snippets in this section assume your script resides in the root folder of the shop with the default shop folder structure.

11.1.1 Magento 1

Initialize the shops core functions.

```
define('MAGENTO_ROOT', getcwd());
$mageFilename = MAGENTO_ROOT . '/app/Mage.php';
require_once $mageFilename;
Mage::setIsDeveloperMode(true);
ini_set('display_errors', 1);
umask(0);
Mage::app();
```

Now you can load the transaction and then extract the transactionObject.

Load the transaction object by Id:

```
$dbtransaction = Mage::getModel('payenginecw/transaction')->load($transactionId);
$transactionObject = $dbtransaction->getTransactionObject();
```

Load the transaction object by Order Number:

```
$dbtransaction = Mage::getModel('payenginecw/transaction')->load($orderId, 'transaction_external_id');
$transactionObject = $dbtransaction->getTransactionObject();
```

11.1.2 Magento 2

Initialize the shops core functions.

```
use Magento\Framework\App\Bootstrap;
require __DIR__ . '/app/bootstrap.php';
$bootstrap = Bootstrap::create(BP, $_SERVER);
$obj = $bootstrap->getObjectManager();
```

```
$state = $obj->get('Magento\Framework\App\State');  
$state->setAreaCode('frontend');
```

Get the transaction factory.

```
$factory = $obj->get  
( 'Customweb\PayEngineCw\Model\Authorization\TransactionFactory' )-  
>create();
```

Now you can load the transaction and then extract the transactionObject.

Load the transaction object by Id:

```
$dbTransaction = $factory->load($transactionId, 'entity_id');  
$transactionObject = $dbTransaction->getTransactionObject();
```

Load the transaction object by Order Number:

```
$dbTransaction = $factory->load($orderId, 'order_id');  
$transactionObject = $dbTransaction->getTransactionObject();
```

Load the transaction object by Payment Id:

```
$dbTransaction = $factory->load($paymentId, 'payment_id');  
$transactionObject = $dbTransaction->getTransactionObject();
```