

Installation Manual for PAYONE Gambio

This manual describes the installation and usage of the PAYONE extension for Gambio.

Release Date: Mon, 07 Aug 2023 14:01:06 +0200
Version: 1.0.28

wallee AG
General-Guisan-Strasse 47
CH-8400 Winterthur

E-Mail: info@sellxed.com

Telefon:

CH: +41 (0)44 505 13 60

DE: +49 (0)40 2999 60117

UK: +44 (0)161 850 6890

US: +1 (0)205 557 5869

© copyright by wallee AG Mon, 07 Aug 2023 14:01:06 +0200

#####conditional#####

Table of Contents

1	Introduction	5
2	PAYONE Channels	6
2.1	Installation Process	6
2.2	System Requirements	7
3	PAYONE - Backend Configuration	8
3.1	Payment Portal Setup	8
3.1.1	Shop Portal Administration: Tab General	8
3.1.2	Shop Portal Administration: Tab Extended	8
3.1.3	Shop Portal Administration: API-Parameter	9
3.2	Authorization Methods	10
3.3	Account Activation	10
4	Module Installation and Update in the Gambio Shop	11
4.1	Installation	11
4.2	Language	11
4.3	Updates and Upgrades	11
4.3.1	Update Checklist	11
4.3.2	Update Instructions	12
5	Module Configuration in the Gambio Shop	13
5.1	Configuration of the Main Module	13
5.1.1	Create Pending Orders	13
5.1.2	Database Encoding	13
5.2	Defining the URL for the Transaction Feedback	14
5.3	Direct Capturing of Transactions	14
5.4	Uncertain Status	14
5.4.1	Setting the order state	14
5.5	Optional: Validation	14
6	Settings / Configuration of Payment Methods	16
6.1	General Information About the Payment Methods	16
6.2	Information on Payment Status	16
6.2.1	Order status "pending" / imminent payment (or similar)	16
6.2.2	Order status "cancelled"	16
6.2.3	Code Adjustments for the MasterPass Integration (Gambio GX 1.x)	16
6.2.4	Further information	17

7	The Module in Action	18
7.1	Useful Transaction Information on the Order	18
7.2	Using Invoice Details of a Processor	19
7.2.1	Gambio Order Confirmation (E-Mail)	19
7.2.2	Gambio Invoice (PDF)	19
7.2.3	Gambio-Backend (Transaction details)	20
7.2.4	Gambio Success-Page	20
7.3	Trigger Payments in the Gambio backend	20
7.3.1	Refunding Orders	21
7.4	Capturing / Canceling of Orders	22
7.4.1	Capturing / Canceling of Orders	22
7.5	Usage of the Alias Managers / Token Solution	22
7.6	Setup a Cron Job to Activate the Timed Operations	23
8	Testing	24
8.1	Test Data	24
9	Errors and their Solutions	29
9.1	The Referrer URL appears in my Analytics Tool	29
10	Error Logging	30
10.1.1	Log Levels	30
10.1.2	Log Location	30
11	Advanced Information	31
11.1	Transaction Object	31

1 Introduction

This manual describes how to install configure and use the payment module for Gambio and PAYONE.

Before you get started, make sure to have all necessary data at hand.

- You received a user name and a password from PAYONE. Log in to the PAYONE Merchant Interface. (<https://pmi.pay1.de/>)
- Gambio payment module from sellxed.com/shop
- Login data for your server and shop

2 PAYONE Channels

According to the functions of the module which you want to use, you have to request the different channels at PAYONE. With the numbers of channels come various costs on the part of the PAYONE. Here you'll find an overview of the different functions and their corresponding channels.

- **Channel Frontend:** Payment page
- **Channel Client-API:** Hidden, Alias Manager, Ajax, Moto
- **Server-API:** Refund, Capture, Cancel

Note that you must use at least PHP version 5.6 for our plugins. PHP 8 or higher is currently not supported.

2.1 Installation Process

This document contains all information necessary to install the module. Make sure to follow the described steps strictly in order to ensure the safe use of the module in compliance with all security regulations.

1. Configuration of the PAYONE test administration surface. The test platform can be found under <https://pmi.pay1.de/>
2. Configuration of the main settings
3. Configuration of the payment methods
4. Conducting a test order by means of the [Test Data](#) enclosed at the end of this document

Installation Service

Our payment plugins should have per default the correct settings for most of our customers' preferences. That means once you have entered the required credentials in the plugin configuration to connect your account to your website, the plugin should be fully operational. Should you be willing to receive detailed information on a setting you do not know, you may contact our support team who will be able to assist you further.

Our support team is at your disposal during regular business hours at: <http://www.sellxed.com/support>. Furthermore, you have the option of ordering our installation service. We will make sure the plugin is installed correctly in your shop: <http://www.sellxed.com/shop/de/integration-und-installation.html>

.htaccess Directory Protection

In order to test the module, any kind of directory protection or IP blocking on your server must be deactivated. This is crucial as otherwise the payment feedback of PAYONE might not get through to the shop.

2.2 System Requirements

In general, the plugin has the same system requirements as Gambio. Below you can find the most important requirements of the plugin:

- PHP Version: 5.4.x or higher
- OpenSSL: Current version with support for TLS 1.2 or higher.
- fsockopen: The PHP function fsockopen must be enabled. The plugin must be able to connect to external systems over the Internet.
- PHP Functions: All common PHP functions must be enabled.

Gambio v3.2.x

Gambio in version 3.2.x uses a different checkout process than other versions, and is not supported. If you use this version, please upgrade to a newer version of Gambio.

3 PAYONE - Backend Configuration

First, log on to the PAYONE Merchant Interface (<https://pmi.pay1.de/>)

3.1 Payment Portal Setup

Under **Configuration > Payment Portals** you can set up the payment portal for your shop. Among other things you define the TransactionStatus URL. This is the URL that the parameters for further processing are sent to after payment has taken place.

3.1.1 Shop Portal Administration: Tab General

General settings such as portal name, Shop URL and the sender e-mail can be defined in the tab 'General'. These settings can be defined independently.

Make sure that the Server API, Front-end and Client API are activated in the Channel settings as shown in the screenshot.

The screenshot displays the 'Shop portal administration' interface. At the top, there is a navigation bar with 'PAYONE WEBSITE' and a 'HELP' button. Below this, the 'PAYONE MERCHANT INTERFACE' logo is visible. A user login notification indicates the user is logged in as 'info.19405 (Account: customweb_TEST [19405])' with options for 'LOGOUT' and language selection ('deutsch').

The main content area is titled 'Shop portal administration' and shows the configuration for a 'Portal: Customweb / Woocommerce'. The 'General' tab is active, with other tabs including 'Extended', 'Options', 'API-Parameter', and 'Riskcheck'. The configuration fields are as follows:

- Portal name*:** Customweb / Woocommerce
- URL:** http://dev.customweb.com
- Sender email*:** info@customweb.com (For emails to the end customer)

Select channels:

- FinanceGate Server-API:
- FinanceGate Frontend:
- FinanceGate Client-API:

Additional response-data:

Mode Live: Switch on for additional values in API responses (Mode = Live).
 Switched on:
 Switched off:

Mode Test: Switch on for additional values in API responses (Mode = Test).
 Switched on:
 Switched off:

At the bottom right of the configuration area, there are buttons for 'Delete portal' and 'Save'.

Figure 3.1: Tab 'General'

3.1.2 Shop Portal Administration: Tab Extended

In this tab you define the TransactionStatus URL. The URL you need to enter can be found directly on the general information site of the module in your shop. More information can be found in the section [Transaction-Feedback](#)). The remaining fields can be left empty. They will be filled by the module.




Figure 3.1: Extended configuration of the payment portal

3.1.3 Shop Portal Administration: API-Parameter

This tab contains all relevant information to enter in the [Main Module](#).




Figure 3.1: API-Parameter Configuration.

3.2 Authorization Methods

PCI 3.1 - SAQ A-EP

Please note that with the changes in PCI new rules apply regarding the applicable self assessment questionnaire. If you host the forms to entering of the credit cards directly in your webshop (Hidden Authorization) or Ajax authroization new rules apply. If you want to continue to work with SAQ-A, you have to use Payment Page or the Widget Authorization.

In the configuration of the payment method you have the possibility to switch between various authorization methods. These regard primarily the depiction of the credit card forms in the shop. You'll find further information about that in chapter [authorization methods](#).

3.3 Account Activation

Further information on the payment method configuration and the implementations of the settings can be found [here](#). After the activation and configuration of the payment methods you can conduct a test by means of the [Test Data](#) provided in this manual. As soon as the tests As soon as the tests have been successful you can contact PAYONE to demand the activation of your account. You will be able to process payments immediately.

4 Module Installation and Update in the Gambio Shop

4.1 Installation

At this time you should already be in possession of the module. Should this not be the case, you can download the necessary files in your customer account in the [sellxed shop](#) (Menu "My Downloads Downloads"). In order to install the module in your shop, please carry out the following steps:

1. Download the plugin. The download can be found in your sellxed.com account under "My Downloads".
2. Unzip the archive you have just downloaded.
3. In the unzipped folder navigate to the folder "files"
4. For some shops there are different versions of the plugin provided. If this is the case open the folder which corresponds to your shop version.
5. Using your preferred FTP client upload **entire content** of this folder into the root directory of your shop. For some shops there is a specific folder containing the plugins. If that is the case upload the plugin into this folder. Make sure that the folders aren't replaced but merely merged.
6. If you haven't yet done so, log back into your shop.

4.2 Language

1. In the unzipped folder navigate to the folder "lang"
2. Using your preferred FTP client upload **entire content** of this folder into the lang directory of your shop.
Make sure that the contents aren't replaced but merely merged.

4.3 Updates and Upgrades

You have direct and unlimited access to updates and upgrades during the duration of your support contract. In order to receive constant information about available updates we ask you to subscribe to our RSS feed that we publish for your module.

More information regarding the subscription of this RSS feed can be found under: http://www.sellxed.com/en/updates_upgrades.

We only recommend an update if something doesn't work in your shop, if you want to use new feature or if there is a necessary security update.

4.3.1 Update Checklist

We ask you to strictly comply with the checklist below when doing an update:

1. Always do a backup for your database and your files in your shop
2. Use always a test system to test the update process.

3. Wait until all the files are copied to the shop, clear the cache if there is one in your shop and then visit the configuration page of the main module so that the update process will be initialized.

Do not do updates directly in the live environment

Please test the update procedure first in your test shop. Our support team is able and willing to help you if you experience problems with the update process. However, if you decide to perform the update directly in your live shop there is the possibility of a downtime of the shop of more than two days depending on the availability of our support if you do not want to book our [complementary support](#).

Depending on the version it could be that the database has to be migrated. We recommend you therefore, to perform the updates in times when the shop is not visited too frequently by your customers.

4.3.2 Update Instructions

Please always read the update instruction. Those instructions can be found in the changelog. If there are no special remarks, you can proceed by just overwriting the files in your system.

5 Module Configuration in the Gambio Shop

The configuration consists of two steps. The first step is the configuration of the main module with all the basic settings (cf. [Configuration of the Main Module](#)). During the second step you can then carry out individual configurations for each [payment method](#). This allows for full flexibility and perfect adaptation to your processes.

Create backups!

Please create a backup of the main directory of your shop. In case of problems you will then always be able to return your shop to its original state.

We furthermore recommend testing the integration on a test system. Complications may arise with third party modules installed by you. In case of questions, our support is gladly at your disposal.

5.1 Configuration of the Main Module

You will find the settings for the module under "**Modules > Module-Center(alt) > PAYONE Base Module**". Install the module and click on "Open Method Configuration". A new window should open up. Enter the individual options such as described above in the configuration of the administration interface of PAYONE. Should one of the options not be clear to you, you can find further information by moving the cursor to the question mark. The most central settings are explained in more detail in this manual.

5.1.1 Create Pending Orders

You have the possibility of creating pending orders. In this case a temporary order will be created with the status "pending payment". This allows you to reserve the item in your shop and to transmit the identical order number as in the shop to PAYONE. In the case when a customer cancels his or her purchase, the order remains in your shop - except if you activate the option "Remove cancelled orders". This makes sure that cancelled orders are deleted regularly. If you do not wish to create pending orders, simply keep the default setting of xt:Commerce. However, this also means that the reference number (payment ID) with PAYONE doesn't correspond to the order number in the shop. You are, however, free to use both options.

5.1.2 Database Encoding

If you haven't selected UTF-8 as a default for your database, this might lead to encoding problems with parameters with special characters. In this case you must select the option that data is UTF-8 encoded before being sent to PAYONE.

5.2 Defining the URL for the Transaction Feedback

To ensure correct payment processing in your shop, at least one Feedback URL has to be provided in the PAYONE configuration. The URL to be entered can be found in your Gambio Shop under: **Modul-Center > PAYONE > Open Main Configuration > Setup**

5.3 Direct Capturing of Transactions

The option "Capture" allows you to specify if you wish to debit payments directly or if you first wish to authorise them and then debit the payment at a later point.

Depending on your acquiring contract, a reservation is only guaranteed for a specific period of time. Should you fail to debit the payment within that period, the authorisation may therefore no longer be guaranteed. Further information on this process can be found below.

Different settings between PAYONE and the module

It may be that settings saved in the payment modules overwrite settings saved in PAYONE.

5.4 Uncertain Status

You can specifically label orders for which the money is not guaranteed to be received. This allows you to manually control the order before shipment.

5.4.1 Setting the order state

For each payment method you may select in which state the order should be set to depending on the booking state. This is the initial state of the order.

5.5 Optional: Validation

Note: It can be that this option is not visible in your module. In this case just ignore this section.

With the option 'Validation' you can define the moment when the payment method should be made visible to the customer during the checkout process. This setting is relevant for modules where the usage depends on the customer's compliance with specific preconditions. For example, if a solvency check has to be carried out or if the payment method is only available in certain countries. In order for the credit check or address validation to also work with European characters, the charset of the "Blowfish mode" must be set to "UTF-8" for certain PSP settings.

You have the choice between these options:

- **Validation before the selection of the payment method:** A validation verification is carried out before the customer selects the payment method. If the customer does not fulfill the requirements, the payment method is not displayed

- **Validation after selection of the payment method:** The verification of the compliance occurs after the selection of the payment method and before the confirmation of the order
- **During the authorisation:** The validation verification is carried out by PAYONE during the authorisation process. The payment method is displayed in any case

6 Settings / Configuration of Payment Methods

6.1 General Information About the Payment Methods

The plugin contains the most common payment methods. In case a desired payment method is not included per default, please contact us directly.

In order to be able to use a payment method, it must be activated in your account with PAYONE as well as in your shop. Information about the configuration of the payment methods can be found further above.

Below you can find important information for specific payment methods that deviate from the standard process.

6.2 Information on Payment Status

For each payment method you can define an initial payment status (status for authorized payments etc.). You hereby define the payment status for each state depending on the processing type of the order (captured, authorized, etc.). It's the initial status which the order assumes. Depending on the mutation carried out by you, the status can change.

Important info regarding Order Status

Never set the status to **Pending PAYONE** or any similar pending status which is implemented by the module.

6.2.1 Order status "pending" / imminent payment (or similar)

Orders with the status 'pending PAYONE' are pending orders. Orders are set to that status if a customer is redirected in order to pay but hasn't returned successfully or the feedback hasn't reached your shop yet (Customer closed window on the payment page and didn't complete payment). Depending on the payment method these orders will automatically be transformed into cancelled orders and the inventory will be cleared (so long as the Cronjob is activated). How long this takes depends on the characteristics of the payment method and cannot be configured.

If you have a lot of pending orders it usually means that the notifications from your webserver to PAYONE are being blocked. In this case check the settings of your firewall and ask the Hoster to activate the IPs and User Agents of PAYONE.

6.2.2 Order status "cancelled"

Orders with the status "cancelled" have either been set to that status automatically due to a timeout, as described above, or have been cancelled directly by the customer.

6.2.3 Code Adjustments for the MasterPass Integration (Gambio GX 1.x)

If you use GX 2.x, the following code adjustments are not relevant for you.

In order for the button "Pay with MasterPass" to appear in the shopping cart when using external checkout with address transmission, the following adjustments in the code have to be made. If you prefer to simply use MasterPass as a regular payment method without address transmission, no changes are necessary.

The files containing the necessary code adjustments can be found in the zip files in /changes/*.txt. Please paste the codes contained in these files into the location described below.

6.2.3.1 Adjusting shopping_cart.php

Please copy the code snippet from the file /changes/shopping_cart.php.txt in front of the following code:

```
$smarty->assign('language', $_SESSION['language']); (ca. line 140)
```

6.2.3.2 Adjusting templates/[current-active-template]/module/shopping_cart.html

Please copy the code found in /changes/shopping_cart.html.txt in front of the **tag-`{/if}`**:

6.2.4 Further information

MasterPass with External Checkout cannot be used in combination with vouchers. If the customer wants to redeem a voucher, she has to go through standard checkout.

7 The Module in Action

Below you will find an overview of the most important features in the daily usage of the PAYONE module.




Figure 7.1: Transaction Information

7.1 Useful Transaction Information on the Order

You can find an overview of the transaction information in within the order detail view. Among others, this information allows for the definite attribution of the orders to their corresponding transaction, seen in the backend of PAYONE.

Transaktionsnummer


Transaktions ID	12
Transaktionsnummer	9_12
Bestell ID	9
Erstellt am	2013-11-26 18:03:28
Erneuert am	2013-11-26 18:03:59
Kunden ID	1
Zahlungsid	25691316
Zahlungs-Klasse	XXXXXXXXXX0003
Autorisierungsbetrag	125
Währung	EUR
Zahlungsmethode	Visa
Zahlungsid	25691316
Verbuchter Betrag	125
Transaktion autorisiert	Ja
Transaktion ist unsicher 	Nein
Transaktion verbucht	Ja
Transaktion bezahlt	Ja
Akzeptanz	test123
Kartennummer	XXXXXXXXXXXX0003
Kartenablaufdatum	06/16
Händler Referenz	9_12

Figure 7.1: Transaction Information

7.2 Using Invoice Details of a Processor

In the following context you can view or embed the "payment details" of for example an "Open Invoice" transaction:

7.2.1 Gambio Order Confirmation (E-Mail)

The "payment information" will be visible in the default "order confirmation e-mail" of Gambio.

7.2.2 Gambio Invoice (PDF)

Due to technical limitations, it is currently not possible to display the "payment information" here.

7.2.3 Gambio-Backend (Transaction details)

You can view the transaction details in Gambio under **Modul-Center (old) > PAYONE Base Module > open main module configuration > (above) Transaction Management**.

Home
Base Configuration
Transaction Management
Über
Setup
Payment Page Design

Transaktionsinformation der Transaktion 400210_1

Transaktions-ID	1
Transaktionsnummer	400210_1
Autorisierungsstatus	successful
Bestell ID	400210
Erstellt am	2017/03/07 18:33:30
Aktualisiert am	2017/03/07 18:33:47
Kunden ID	1
Zahlungs-ID	3575612
Zahlungs-Klasse	customweb_openinvoice
Autorisierungsbetrag	30
Währung	EUR
Zahlungsmethode	Open Invoice
Zahlungs-ID	3575612
Testtransaktion	Ja
Transaktion autorisiert	Ja
Transaktion ist unsicher	Nein
Transaktion bezahlt	Ja
Zahlungsinformationen	Bank: Customweb Test Bank Kontoinhaber: Customweb GmbH IBAN: DE1200TEST333222110000546468 BIC: TESTBIC0001 Referenznummer: BP3575612/2749

Transaktionsübersicht

Datum	Aktion	Nachricht
2017/03/07 18:33:47	authorization	Der Betrag von '30.00' wurde autorisiert.

Figure 7.1: Transaction details within Gambio.

7.2.4 Gambio Success-Page

Due to technical limitations, it is currently not possible to display the "payment information" here.

7.3 Trigger Payments in the Gambio backend

With the Gambio payment module, orders can be triggered directly from within the shop, so called Mail Order / Telephone Order (MOTO).

1. Go to the customer overview and activate a customer. By clicking on "Create Order" a new window opens up for the creation of the order
2. Click on "Edit" and select the item and the options
3. In the field payment method you can select the preferred payment method and click on "Submit Order"
4. Depending on the authorisation method that you have saved for the selected payment method, you will either be redirected to the Payment Page of PAYONE or the mask for the credit card will appear such as in the image below. Enter the credit card data of the customer

7.3.1 Refunding Orders

In order to refund orders, open the transaction information (cf. above). There you will find information on the transaction. Click on 'Refunding' and select the order which you would like to create a refund for. By clicking on 'Refunding', the refund is transmitted to PAYONE.

Zurück

Teilgutschrift

Name	SKU	Typ	MwSt.	Menge	Total (exkl. MwSt.)	
Testartikel	ABC123	product	8 %	1	20.54	2
Selbstabholung (Selbstabholung der Ware in unserer Geschäftsstelle.)	shipping	shipping	0 %	1	0.00	0
Total gutgeschriebener Betrag:						

Transaktion für weitere Rückvergütungen schliessen

Figure 7.1: Refund button

Executing a refund will not change the status of the order.

7.4 Capturing / Canceling of Orders

Please note

The transaction management between your shop and PAYONE is not synchronized. If you capture payments with PAYONE, the status in the shop will not be updated and a second capturing in the shop is not possible.

7.4.1 Capturing / Canceling of Orders

In order to capture orders, open the transaction information (cf. above). There you will find information on the transaction. Further below you will find an input field in which you can enter the amount you wish to capture. By clicking on "capture", the capture will be transmitted to PAYONE. You no longer need to log into the backend of PAYONE.

By clicking on "Cancel Transaction" you cancel the transaction and the reserved amount is immediately released on the card of your customer.

Transaktion verbuchen

Betrag vergüten ⓘ

Transaktion schliessen ⓘ

 Ja, Transaktion schliessen

Transaktion abbrechen

Figure 7.1: capture oder cancel button.

7.5 Usage of the Alias Managers / Token Solution

With the Alias Manager, your customers can securely save their credit cards with PAYONE for later purchases. You can enable this by activating the option "Alias Manager" in the configuration of the [Payment Method](#). The customer can then choose from his or her saved credit cards without having to re-enter all the details.

ZAHLUNGSWEISE

Bitte wählen Sie die gewünschte Zahlungsweise aus.

Visa

Karten Nr: 9451 1231 0000 0111 Ablaufdatum: 12/2015 CVV: 123

Use previous stored credit
card:

xxxx xxxx xxxx 0111 ▼

Figure 7.1: Alias Manager

Please pay attention!

The usage of the Alias Managers requires the activation of the correct option with PAYONE. To do so, please contact the support directly.

7.6 Setup a Cron Job to Activate the Timed Operations

To activate the timed operations of the plugin (e.g. update service, deleting pending orders, etc.), please activate in a regular request to the file `payonecw_cron.php`. The regular call triggers the appropriate actions. We recommend an intervall of about 15 minutes.

Here we suggest you use a Cron Engine like for example [EasyCron](#). That way you can This allows you to open the file (URL) with an external service.

8 Testing

Before switching from test to live mode it is important that you test the module extensively.

Testing

Do not forget to switch the operating mode from test to live after having successfully tested the module.

8.1 Test Data

In the following section you can find the test data for the various payment methods:

SOFORT

Sofort	
IBAN	DE85123456782599100003
BIC	TESTTEST
Bank account	2599100003
Bank code	12345678

giropay

Sofort	
IBAN	DE46940594210000012345
BIC	TESTDETT421
ID / PIN	sepatest1 / 12345
NR / TAN	MAS_Test / 123456

Direct Debits

Hidden Mandate	Accept
IBAN	DE00123456782599100004
BIC	TESTTEST
Hidden Mandate	Denied - Invalid BIC
IBAN	DE00123456782599100004
BIC	TESTTESX

Credit / Debit Card

VISA	Verified by Visa	Visa 3D
Card number	4012 0010 3714 1112	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
3-D Secure Password	12345	
VISA	CH	Visa CH
Card number	4111 1111 1111 1111	
Expiry Date:	12/2020	

Name	Hans Muster	
CVC:	123	
VISA	DE	Visa DE
Card number	4111 1310 1011 1111	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
VISA	AT	Visa AT
Card number	4111 1210 1111 1111	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
MasterCard	MasterCard SecureCode	Mastercard 3D
Card number	5453 0100 0008 0200	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
3-D Secure Password	12345	
Mastercard		Mastercard
Card number	5500 0000 0000 0004	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
American Express		American Express
Card number	340 0000 0000 0009	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	1234	
JCB	JCB J/Secure	JCB 3D
Card number	3528 4501 3100 3315	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
3-D Secure Password	12345	
JCB		JCB
Card number	3088 0000 0000 0009	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
Maestro		Maestro
Card number	5000 0000 0000 0009	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	

Carte Bleue		Carte Bleue
Card number	4973 0100 0000 0004	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
Diners Club		Diners Club
Card number	30 0000 0000 0004	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
Discover		Discover Card
Card number	6011 1111 1111 1117	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
MasterCard		
Mastercard		Mastercard
Card number	5500 0000 0000 0004	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
MasterCard	MasterCard SecureCode	Mastercard 3D
Card number	5453 0100 0008 0200	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
3-D Secure Password	12345	
Visa		
VISA	CH	Visa CH
Card number	4111 1111 1111 1111	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
VISA	DE	Visa DE
Card number	4111 1310 1011 1111	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
VISA	AT	Visa AT
Card number	4111 1210 1111 1111	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	

VISA	Verified by Visa	Visa 3D
Card number	4012 0010 3714 1112	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
3-D Secure Password	12345	
American Express		
American Express		American Express
Card number	340 0000 0000 0009	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	1234	
Diners Club		
Diners Club		Diners Club
Card number	30 0000 0000 0004	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
Discover Card		
Discover		Discover Card
Card number	6011 1111 1111 1117	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
Carte Bleue		
Carte Bleue		Carte Bleue
Card number	4973 0100 0000 0004	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
JCB		
JCB		JCB
Card number	3088 0000 0000 0009	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
JCB	JCB J/Secure	JCB 3D
Card number	3528 4501 3100 3315	
Expiry Date:	12/2020	
Name	Hans Muster	
CVC:	123	
3-D Secure Password	12345	

Maestro

Maestro

Maestro

Card number

5000 0000 0000 0009

Expiry Date:

12/2020

Name

Hans Muster

CVC:

123

9 Errors and their Solutions

You can find detailed information under <http://www.sellxed.com/en/faq>. Should you not be able to solve your problem with the provided information, please contact us directly under: <http://www.sellxed.com/en/support>

9.1 The Referrer URL appears in my Analytics Tool

When a customer and the notification are redirected via Header Redirection, the PAYONE Referrer URL might appear in your Analytics Tool thus hiding the original traffic source. However, most Analytic Tools are able to minimize this problem.

In case you are using Google Analytics as reporting tool, this step by step guide may help you to exclude the URLs: [under bullet point 4](#).

10 Error Logging

The module will log different unexpected errors or information depending on the configured level. If there is any issue with the module, this log can help identify the cause.

10.1.1 Log Levels

You can configure the log level in the PAYONE settings.

- Error: Logs unexpected errors only. (Default)
- Info: Logs extended information.
- Debug: Logs information helpful for debugging.

10.1.2 Log Location

The log messages are visible in the Gambio backend under "**Modules > Module-Center > PAYONE Base Module > Log Messages**".

11 Advanced Information

This section of the manual is for advanced usage of the module. The content is for advanced users with special requirements. Everything in this section is optional and not required for the daily usage of the module.

11.1 Transaction Object

This section describes how to extract information from a transaction, if you need it for further processing. E.g. you require more information of the transaction for further processing an order in your ERP system.

The code snippets in this section assume your script resides in the root folder of the shop with the default shop folder structure.

Have Gambio initialized in your script, this is required for the database connection.

```
include ('includes/application_top.php');
```

Include the module main file and module classes.

```
require_once DIR_FS_DOCUMENT_ROOT.'admin/includes/PayoneCw/init.php';  
require_once DIR_FS_DOCUMENT_ROOT.'admin/includes/PayoneCw/classes  
/PayoneCw/Entity/Util.php';
```

Now you can load the transaction and then extract the transactionObject.

Load the transaction by Id:

```
$transactionById = PayoneCw_Entity_Util::findTransactionByTransactionId  
($transactionId);  
$transactionObject = $transactionById->getTransactionObject();
```

Load the transaction by external Id:

```
$transactionById = PayoneCw_Entity_Util::  
findTransactionEntityByTransactionExternalId($externalId);  
$transactionObject = $transactionById->getTransactionObject();
```

Load transactions by Order ID:

```
$transactionsByOrderId = PayoneCw_Entity_Util::  
findTransactionsEntityByOrderId($orderId);  
foreach($transactionsByOrderId as $transaction){  
    $transactionObject = $transaction->getTransactionObject();  
    //Do something with each object  
}
```